



[www.faldu.in](http://www.faldu.in)



An ISO 9001:2015 Certified Company



**SUN INTERIOR PRODUCTS CO.**

Survey no. 137/2, Plot No. 11 & 12, Om Industrial Area, B/h GEB Sub Station,  
Veraval - Padavala Road, Padavala - 360024, Tal. Kotda Sangani, Dist. Rajkot, Gujarat, India.  
T: +91-94261 84899 M: +91-93755 44899, 93748 44899  
E: [info@faldu.in](mailto:info@faldu.in), [sunsipcoss@gmail.com](mailto:sunsipcoss@gmail.com) W: [www.faldu.in](http://www.faldu.in)

indoceramicsourcing.com, +91-9910312424, #08/2025

AN  
**ISO 9001:2015**  
CERTIFIED COMPANY



Designed to drain,  
effortlessly...



PRODUCT GUIDE 2025

[www.faldu.in](http://www.faldu.in)

## What Makes Faldu Special?

The Faldu Channel Drains are made of HDPE/PP, a material that offers excellent mechanical resistance and thermal shock resistance. HDPE/PP is immune to chemical and atmospheric agents, acids, salts, alkalis, oils, and petrol.

These features make Faldu Channel Drains an ideal system for various applications, including roads, motorways, car parks, service areas, cycle and pedestrian lanes, industrial settlements, airports, as well as specialized installations such as chemical industry establishments, slaughterhouses, and landfills.

The characteristics of HDPE/PP result in an extremely smooth channel surface, which facilitates water flow and prevents deposit formation, making cleaning easier. Faldu Channel Drains are available with various grating options, including HDPE/PP, galvanized iron, stainless steel, and cast iron and ductile iron, suitable for all load classes and needs.

At Faldu, design improvement and process innovation to bring down costs are always underway, to achieve higher customer satisfaction, year on year.



## Milestones on our road to the future

-  2004 Bath Accessories
-  2012 Floor & Shower Drains
-  2020 Grab Bars
-  2021 Technical Profiles
-  2025 Channel Drains



An ISO 9001:2015 Certified Company



## The Right Location The Right Genes


Faldu is located near Rajkot, Gujarat, an area known for its Engineering and Manufacturing prowess, and is a renowned source of building material brands that dominate the construction industry, throughout the country.

## Products That Impress

Faldu specializes in Shower Channel Drainers, Floor Drainers and Bathroom Accessories, and has now begun manufacturing Grabs Bars, Profiles and Channel Drainage System at its extension facilities at Pune. This integrated manufacturing facility has 100% in-house operations, which allows complete control over product quality and delivery.

Product development to improve aesthetics, functionality and ease of use is an ongoing effort at Faldu. This has endeared Faldu to the large community of Architects, Designers, Engineers, Builders and Home Owners.

Meanwhile, several customized product orders are also in the pipeline, for high-end requirements, corporate OE buyers and export markets.



## How Faldu Ensures Quality

Faldu has product designs, die & mould making, cutting, punching and finishing activities with their attendant machinery and engagement, all integrated under one roof. And all manned by experienced teams of specialists.

Faldu exports have helped creating a high quality perception for its products in the Indian market. A perception we live up to, everyday at work.



## Reasons to choose our products



PREMIUM QUALITY MATERIAL IN HDPE / PP / GALVANIZED IRON / SS-304 / CAST IRON / DUCTILE IRON FOR BEST & LASTING PERFORMANCE.



HDPE / PP MATERIAL IS RUST PROOF AND SS-304, GALVANIZED IRON / CAST IRON / DUCTILE IRON RESISTANT TO RUST AND CORROSION.



DESIGNED TO INCREASE DRAIN EFFICIENCY. EACH DESIGN HAS VARIABLE HIGH FLOW RATE TO DRAIN SPEEDILY.



PRECISION ENGINEERED FOR EASY INSTALLATION AND ALL ESSENTIAL GUIDELINES PROVIDED.



SAFETY IS KEY FOR INSTALLATION AND DAY-TO-DAY USAGE. ALL SHARP EDGES ARE FOLDED INSIDE & TAPERED OUTSIDE.



DETACHABLE / OPENABLE PLATE FOR ROUTINE CLEANING AND MAINTENANCE.



ACCEPTABLE QUALITY STANDARD RAW MATERIAL, CRAFTSMANSHIP AND SIZES TO CATER TO GLOBAL MARKET.



CUSTOMIZED PRODUCT SIZES AND QUALITY CAN BE PRODUCED FOR CORPORATE, OE SOURCING AND INTERNATIONAL MARKET REQUIREMENTS.



GLOBALLY COMPLIANT 100% RECYCLABLE MATERIAL.

# CHANNEL DRAINS



Efficient  
**performance grating**  
for the most  
demanding areas




## PRODUCT APPLICATIONS:

- Residential and Commercial Bathrooms
- Industrial and Manufacturing Facilities
- Commercial Kitchens and Food Processing
- Swimming Pools and Water Features
- Parking Garages and Decks
- Outdoor Spaces and Landscaping
- Healthcare and Laboratory Facilities
- Garages, Workshops, and Service Stations
- Public Spaces and Pedestrian Areas
- Specialized Applications

# CHANNEL DRAINS



A variety of sizes  
to cater to different  
spatial requirements  
and applications, ensuring  
a perfect fit every time




The Channel Drain system consists of:

**1. Channel Base (Frame):** Made from high-quality HDPE/PP, featuring a flat edge design without a containing frame.

**2. Grating Channel:** Furnished with extremities that cover the entire channel area, providing comprehensive coverage.

**Channel Drain** is a collective term use for a combination of Channel Base (Frame) and Grating Channel.



End Caps and Close Shutters are optional utility accessories that can be incorporated based on specific application requirements.

Would you like to include their functional benefits or material compatibility as well? I can help expand it for technical documentation or marketing use.

Gratings are available in a variety of materials to suit specific application areas, including:

- HDPE (High-Density Polyethylene) + PP (Polypropylene)
- Galvanized Iron
- Stainless Steel
- Cast Iron
- Ductile Iron

These options ensure optimal performance across diverse environments, balancing durability, corrosion resistance, and load-bearing capacity. It offers ideal solutions for urban decoration and architectural projects.

TYPE	LOADING GROUP	BS EN 124 CLASS	TYPICAL USE	BS EN 1433 TEST LOAD
Pedestrian Areas	GROUP 1	A15	Pedestrian and cycleways, garage doors, domestic drives, lawned areas	1.5 MT
Car Parking Areas	GROUP 2	B125	Light vehicle driveways, private car parks, pedestrian precincts	12.5 MT
Truck Parking Areas	GROUP 3	C250	Service stations (cars), park-side areas, paved areas, kerbside channels of roads which, when measured from the kerb edge, extends a maximum of 0.5m into the carriageway and a maximum of 0.2m into the pedestrian area.	25 MT
Road ways	GROUP 4	D400	Carriageway locations, service station forecourts, public areas	40 MT
Industrial	GROUP 5	E600	Industrial areas, forklifts and docksides	60 MT
Industrial & Special Areas	GROUP 6	F900	Airport runways, service yards and lorry parks, military bases	90 MT

**NOTE:**

These standards are equivalent / nearest to **DIN 19580 / EN 124 / AS 3996.**


Loadings are a guide only and don't take into account specific forces and vehicle configurations. Weight indications are only for the slow moving vehicle traffic areas.

If in doubt please contact FALDU regarding clarification and recommendation for the best castings to suit your requirements.



HDPE / PP GRATING CHANNEL

END CAP / CLOSE SHUTTER  
HDPE / PP




INLET / OUTLET PIPE CONNECTION  
HDPE / PP


Specifications:

Material	: Base Frame : HDPE / PP	Grating Channel: HDPE / PP
Thickness	: Base Frame : 3 mm	Grating Channel: 22.5 mm
Outlet	: 50 / 75 mm	Flow Rate: 118 - 148 Leters Per Minute


L 500 x W 100 x D 50 mm




L 500 x W 100 x D 100 mm




L 500 x W 100 x D 50 mm




L 500 x W 125 x D 50 mm



LOAD CLASS: A15



LOAD CLASS: A15



HDPE / PP + HDPE / PP  
1.5 MT (A15) CHANNEL DRAIN

CODE	CHANNEL			GRATING	PRICE
No.	Length (mm)	Width (mm)	Height (mm)	Thickness (mm)	MRP (INR)
CD HH 01	500	100	50	22.5	1,299
CD HH 02	500	100	100	22.5	1,499
CD HH 03	500	100	150	22.5	1,799
CD HH 04	500	125	50	22.5	1,499
CD HH 05	500	125	100	22.5	1,599
CD HH 06	500	125	150	22.5	1,999
CD HH 07	500	150	150	22.5	2,899
CD HH 08	500	150	200	22.5	3,099

\* Sizes are available in standard dimensions only.


HDPE channel drains are ideal for sports complexes, offering durable and efficient water management crucial for maintaining optimal playing conditions and safety across tracks, fields, and the corners of spectator areas, even under frequent use and various weather conditions.

Optimal  
**drainage solutions for  
sports facilities**

HDPE / PP + HDPE / PP 22.5 MM THICKNESS GRATING  
500 L x 125 W x 100 H MM



**HDPE / PP** GRATING CHANNEL



BASE FRAME **HDPE / PP**

SIDE WALL **HDPE / PP**  
(TO BE CUT TO OPEN THE DESIRED SIDES AS PER THE REQUIREMENTS)


**Specifications:**

- Material : Base Frame : HDPE / PP      Grating Channel: HDPE / PP
- Thickness : Base Frame : 3 mm      Grating Channel: 22.5 mm
- Outlet : 50 / 75 mm      Flow Rate: 118 - 148 Liters Per Minute


**HDPE / PP** + **HDPE / PP**

LOAD CLASS: **A15**


L 100 x W 100 x D 50 mm




L 100 x W 100 x D 100 mm



L 100 x W 100 x D 100 mm




L 125 x W 125 x D 50 mm




LOAD CLASS: **A15**


L 125 x W 125 x D 100 mm



L 125 x W 125 x D 150 mm



**TECHNICAL DRAWINGS**



LOAD CLASS: **A15**

**HDPE / PP + HDPE / PP  
1.5 MT (A15) CHANNEL JUNCTION**

CODE	JUCTION			GRATING	PRICE	
No.	Length (mm)	Width (mm)	Height (mm)	Thickness (mm)	MRP (INR)	
H JN 01	100	100	50	22.5	999	
H JN 01	100	100	100	22.5	1,099	
H JN 01	100	100	150	22.5	1,199	
H JN 01	125	125	50	22.5	1,299	
H JN 01	125	125	100	22.5	1,399	
H JN 01	125	125	150	22.5	1,499	
H JN L 01	150	150	150	22.5	28,999	L Type Customized
H JN L 01	150	150	200	22.5	39,299	L Type Customized
H JN T 01	150	150	150	22.5	41,399	T Type Customized
H JN T 01	150	150	200	22.5	46,499	T Type Customized

\* Sizes are available in standard dimensions only.



HDPE / PP + HDPE / PP 22.5 THICKNESS GRATING  
500 L x 125 W x 50 H MM



**CHANNEL HDPE / PP + GI - 1.5 & 12.5 MT**  
CHANNEL DRAIN



**A15**



GROUP 1  
1.5 MT

**B125**




GROUP 2  
12.5 MT

**GI**

GRATING CHANNEL

END CAP /  
CLOSE SHUTTER

**HDPE / PP**



BASE FRAME  
(TWO BASE FRAMES 500 mm + 500 mm)

**HDPE / PP**

INLET / OUTLET PIPE CONNECTION

**HDPE / PP**

**Specifications:**

Material	: Base Frame : HDPE / PP	Grating Channel: HDPE / PP
Thickness	: Base Frame : 3 mm	Grating Channel: 22.5 mm
Outlet	: 50 / 75 mm	Flow Rate: 118 - 148 Leters Per Minute

**HDPE / PP**


**GI**




**CHANNEL HDPE / PP + GI - 1.5 & 12.5 MT**  
CHANNEL DRAIN

LOAD CLASS: **A 15 & B125**

L 1000 x W 100 x D 50 mm




L 1000 x W 100 x D 100 mm




LOAD CLASS: A 15 & B125

L 1000 x W 100 x D 150 mm




L 1000 x W 125 x D 50 mm




LOAD CLASS: A 15 & B125

L 1000 x W 125 x D 100 mm



L 1000 x W 125 x D 125 mm




LOAD CLASS: A 15 & B125

L 1000 x W 150 x D 150 mm




L 1000 x W 150 x D 200 mm



LOAD CLASS: A 15 & B125

TECHNICAL DRAWINGS



HDPE / PP + GI  
1.5 MT (A15) CHANNEL DRAIN

CODE	CHANNEL			GRATING	PRICE
No.	Length (mm)	Width (mm)	Height (mm)	Thickness (mm)	MRP (INR)
CD HGI 01	1000	100	50	1.5	4,799
CD HGI 02	1000	100	100	1.5	5,299
CD HGI 03	1000	100	150	1.5	5,899
CD HGI 04	1000	125	50	1.5	5,599
CD HGI 05	1000	125	100	1.5	5,899
CD HGI 06	1000	125	150	1.5	6,799
CD HGI 07	1000	150	150	1.5	8,599
CD HGI 08	1000	150	200	1.5	8,999


\* Sizes are available in standard dimensions only.

LOAD CLASS: **B125**

**HDPE / PP + GI  
12.5 MT (B125) CHANNEL DRAIN**

CODE	CHANNEL			GRATING	PRICE
No.	Length (mm)	Width (mm)	Height (mm)	Thickness (mm)	MRP (INR)
CD HGI 21	1000	100	50	2.0	6,099
CD HGI 22	1000	100	100	2.0	6,499
CD HGI 23	1000	100	150	2.0	7,199
CD HGI 24	1000	125	50	2.0	7,099
CD HGI 25	1000	125	100	2.0	7,399
CD HGI 26	1000	125	150	2.0	8,199
CD HGI 27	1000	150	150	2.0	10,299
CD HGI 28	1000	150	200	2.0	10,699

\* Sizes are available in standard dimensions only.



HDPE / PP + GI 2 MM THICKNESS GRATING  
1000 L x 150 W x 200 H MM




**JUNCTION HDPE / PP + GI - 1.5 & 12.5 MT**  
CHANNEL DRAIN



**A15**  
Pedestrian Areas  
GROUP 1  
1.5 MT

**B125**  
Car Parking Areas  
GROUP 2  
12.5 MT

**GI** GRATING CHANNEL



**Specifications:**

Material : Base Frame : HDPE / PP      Grating Channel: HDPE / PP  
 Thickness : Base Frame : 3 mm      Grating Channel: 22.5 mm  
 Outlet : 50 / 75 mm      Flow Rate: 118 - 148 Liters Per Minute


HDPE / PP + **GI**




**JUNCTION HDPE / PP + GI - 1.5 & 12.5 MT**  
CHANNEL DRAIN

LOAD CLASS: **A 15 & B125**


L 100 x W 100 x D 50 mm



L 100 x W 100 x D 100 mm




L 100 x W 100 x D 100 mm




L 125 x W 125 x D 50 mm



LOAD CLASS: A 15 & B125



TECHNICAL DRAWINGS



LOAD CLASS: A 15 & B125

HDPE / PP + GI  
1.5 MT (A15) CHANNEL JUNCTION


CODE	JUCTION			GRATING	PRICE	
No.	Length (mm)	Width (mm)	Height (mm)	Thickness (mm)	MRP (INR)	
H JN 01	100	100	50	1.5	2,699	
H JN 01	100	100	100	1.5	2,899	
H JN 01	100	100	150	1.5	3,099	
H JN 01	125	125	50	1.5	3,299	
H JN 01	125	125	100	1.5	3,499	
H JN 01	125	125	150	1.5	7,499	
H JN L 01	150	150	150	1.5	50,999	L Type Customized
H JN L 01	150	150	200	1.5	65,999	L Type Customized
H JN T 01	150	150	150	1.5	68,999	T Type Customized
H JN T 01	150	150	200	1.5	76,999	T Type Customized

\* Sizes are available in standard dimensions only.

HDPE / PP + GI  
12.5 MT (B125) CHANNEL JUNCTION


CODE	JUCTION			GRATING	PRICE	
No.	Length (mm)	Width (mm)	Height (mm)	Thickness (mm)	MRP (INR)	
H JN 01	100	100	50	2.0	3,599	
H JN 01	100	100	100	2.0	3,699	
H JN 01	100	100	150	2.0	3,899	
H JN 01	125	125	50	2.0	4,299	
H JN 01	125	125	100	2.0	4,499	
H JN 01	125	125	150	2.0	4,799	
H JN L 01	150	150	150	2.0	52,899	L Type Customized
H JN L 01	150	150	200	2.0	68,999	L Type Customized
H JN T 01	150	150	150	2.0	71,299	T Type Customized
H JN T 01	150	150	200	2.0	78,899	T Type Customized

\* Sizes are available in standard dimensions only.



**AISI SS 304** GRATING CHANNEL

END CAP / CLOSE SHUTTER  
**HDPE / PP**




**Specifications:**


Material	: Base Frame : HDPE / PP	Grating Channel: HDPE / PP
Thickness	: Base Frame : 3 mm	Grating Channel: 22.5 mm
Outlet	: 50 / 75 mm	Flow Rate: 118 - 148 Leters Per Minute

LOAD CLASS: **A15 & B125**

L 1000 x W 100 x D 50 mm



L 1000 x W 100 x D 100 mm




LOAD CLASS: A15 & B125

L 1000 x W 100 x D 150 mm




L 1000 x W 125 x D 50 mm




LOAD CLASS: A15 & B125

L 1000 x W 125 x D 100 mm



L 1000 x W 125 x D 125 mm




LOAD CLASS: A15 & B125

L 1000 x W 150 x D 150 mm




L 1000 x W 150 x D 200 mm



LOAD CLASS: A15 & B125

TECHNICAL DRAWINGS



HDPE / PP + SS 304  
1.5 MT (A15) CHANNEL DRAIN

CODE	CHANNEL			GRATING	PRICE
No.	Length (mm)	Width (mm)	Height (mm)	Thickness (mm)	MRP (INR)
CD HSS 01	1000	100	50	1.0	4,799
CD HSS 02	1000	100	100	1.0	5,299
CD HSS 03	1000	100	150	1.0	5,899
CD HSS 04	1000	125	50	1.0	5,599
CD HSS 05	1000	125	100	1.0	5,899
CD HSS 06	1000	125	150	1.0	6,799
CD HSS 07	1000	150	150	1.0	8,599
CD HSS 08	1000	150	200	1.0	8,999

\* Sizes are available in standard dimensions only.

LOAD CLASS: **A15 & B125**

**HDPE / PP + SS 304  
12.5 MT (B125) CHANNEL DRAIN**

CODE	CHANNEL			GRATING	PRICE
No.	Length (mm)	Width (mm)	Height (mm)	Thickness (mm)	MRP (INR)
CD HSS 21	1000	100	50	1.5	6,799
CD HSS 22	1000	100	100	1.5	7,199
CD HSS 23	1000	100	150	1.5	7,899
CD HSS 24	1000	125	50	1.5	7,799
CD HSS 25	1000	125	100	1.5	8,199
CD HSS 26	1000	125	150	1.5	8,999
CD HSS 27	1000	150	150	1.5	11,999
CD HSS 28	1000	150	200	1.5	11,599

\* Sizes are available in standard dimensions only.

**HDPE / PP + SS 304  
12.5 MT (B125) CHANNEL DRAIN**

CODE	CHANNEL			GRATING	PRICE
No.	Length (mm)	Width (mm)	Height (mm)	Thickness (mm)	MRP (INR)
CD HSS 41	1000	100	50	2.0	8,699
CD HSS 42	1000	100	100	2.0	9,199
CD HSS 43	1000	100	150	2.0	9,799
CD HSS 44	1000	125	50	2.0	9,999
CD HSS 45	1000	125	100	2.0	10,399
CD HSS 46	1000	125	150	2.0	11,199
CD HSS 47	1000	150	150	2.0	13,699
CD HSS 48	1000	150	200	2.0	14,199

\* Sizes are available in standard dimensions only.

LOAD CLASS: **A15 & B125**

**HDPE / PP + SS 304  
12.5 MT (B125) CHANNEL DRAIN**

CODE	CHANNEL			GRATING	PRICE
No.	Length (mm)	Width (mm)	Height (mm)	Thickness (mm)	MRP (INR)
CD HSS 61	1000	100	50	3.0	12,499
CD HSS 62	1000	100	100	3.0	12,899
CD HSS 63	1000	100	150	3.0	13,499
CD HSS 64	1000	125	50	3.0	14,399
CD HSS 65	1000	125	100	3.0	14,799
CD HSS 66	1000	125	150	3.0	15,599
CD HSS 67	1000	150	150	3.0	18,699
CD HSS 68	1000	150	200	3.0	19,199

\* Sizes are available in standard dimensions only.





**JUNCTION HDPE / PP + SS - 1.5 & 12.5 MT**  
CHANNEL DRAIN



**A15**



Pedestrian Areas

GROUP 1  
1.5 MT

**B125**




Car Parking Areas

GROUP 2  
12.5 MT

**AISI**  
SS 304

GRATING CHANNEL



BASE FRAME

HDPE / PP

SIDE WALL

HDPE / PP

(TO BE CUT TO OPEN THE DESIRED SIDES AS PER THE REQUIREMENTS)

**Specifications:**

Material : Base Frame : HDPE / PP      Grating Channel: HDPE / PP  
 Thickness : Base Frame : 3 mm      Grating Channel: 22.5 mm  
 Outlet : 50 / 75 mm      Flow Rate: 118 - 148 Liters Per Minute

HDPE / PP


+ AISI SS 304




**JUNCTION HDPE / PP + SS - 1.5 & 12.5 MT**  
CHANNEL DRAIN

LOAD CLASS: **A 15 & B125**


L 100 x W 100 x D 50 mm




L 100 x W 100 x D 100 mm



L 100 x W 100 x D 100 mm




L 125 x W 125 x D 50 mm




LOAD CLASS: A 15 & B125


L 125 x W 125 x D 100 mm



L 125 x W 125 x D 150 mm



TECHNICAL DRAWINGS



LOAD CLASS: A 15 & B125

HDPE / PP + SS  
1.5 MT (A15) CHANNEL JUNCTION

CODE	JUCTION			GRATING	PRICE	
No.	Length (mm)	Width (mm)	Height (mm)	Thickness (mm)	MRP (INR)	
HSS JN 01	100	100	50	1.0	3,599	
HSS JN 02	100	100	100	1.0	3,699	
HSS JN 03	100	100	150	1.0	3,899	
HSS JN 04	125	125	50	1.0	3,799	
HSS JN 05	125	125	100	1.0	3,999	
HSS JN 06	125	125	150	1.0	4,299	
HSS JN L 01	150	150	150	1.0	50,399	L Type Customized
HSS JN L 02	150	150	200	1.0	65,699	L Type Customized
HSS JN T 01	150	150	150	1.0	68,799	T Type Customized
HSS JN T 02	150	150	200	1.0	76,499	T Type Customized

\* Sizes are available in standard dimensions only.

HDPE / PP + SS  
1.5 MT (A15) CHANNEL JUNCTION

CODE	JUCTION			GRATING	PRICE	
No.	Length (mm)	Width (mm)	Height (mm)	Thickness (mm)	MRP (INR)	
HSS JN 21	100	100	50	1.5	4,999	
HSS JN 22	100	100	100	1.5	5,099	
HSS JN 23	100	100	150	1.5	5,399	
HSS JN 24	125	125	50	1.5	5,399	
HSS JN 25	125	125	100	1.5	5,599	
HSS JN 26	125	125	150	1.5	5,899	
HSS JN L 21	150	150	150	1.5	54,099	L Type Customized
HSS JN L 22	150	150	200	1.5	69,399	L Type Customized
HSS JN T 21	150	150	150	1.5	72,499	T Type Customized
HSS JN T 22	150	150	200	1.5	80,199	T Type Customized

\* Sizes are available in standard dimensions only.

HDPE / PP

AISI SS 304

FALDU



JUNCTION HDPE / PP + SS - 1.5 & 12.5 MT  
CHANNEL DRAIN

LOAD CLASS: A 15 & B125

**HDPE / PP + SS  
1.5 MT (A15) CHANNEL JUNCTION**

CODE	JUCTION			GRATING	PRICE	
No.	Length (mm)	Width (mm)	Height (mm)	Thickness (mm)	MRP (INR)	
HSS JN 41	100	100	50	2.0	6,599	
HSS JN 42	100	100	100	2.0	6,699	
HSS JN 43	100	100	150	2.0	6,899	
HSS JN 44	125	125	50	2.0	7,099	
HSS JN 45	125	125	100	2.0	7,199	
HSS JN 46	125	125	150	2.0	7,599	
HSS JN L 41	150	150	150	2.0	57,799	L Type Customized
HSS JN L 42	150	150	200	2.0	73,099	L Type Customized
HSS JN T 41	150	150	150	2.0	76,199	T Type Customized
HSS JN T 42	150	150	200	2.0	83,899	T Type Customized

\* Sizes are available in standard dimensions only.

**HDPE / PP + SS  
1.5 MT (A15) CHANNEL JUNCTION**

CODE	JUCTION			GRATING	PRICE	
No.	Length (mm)	Width (mm)	Height (mm)	Thickness (mm)	MRP (INR)	
HSS JN 61	100	100	50	1.5	9,599	
HSS JN 62	100	100	100	1.5	9,699	
HSS JN 63	100	100	150	1.5	9,999	
HSS JN 64	125	125	50	1.5	10,299	
HSS JN 65	125	125	100	1.5	10,499	
HSS JN 66	125	125	150	1.5	10,799	
HSS JN L 61	150	150	150	1.5	65,199	L Type Customized
HSS JN L 62	150	150	200	1.5	80,499	L Type Customized
HSS JN T 61	150	150	150	1.5	83,599	T Type Customized
HSS JN T 62	150	150	200	1.5	91,299	T Type Customized


\* Sizes are available in standard dimensions only.



HDPE / PP + SS 2 MM THICKNESS GRATING  
1000 L x 150 W x 200 D MM

**HDPE / PP** **OUTLET**

(AVAILABLE FOR ALL CHANNEL DRAIN SIZES / VARIANTS)



**END CAP**

(AVAILABLE FOR ALL CHANNEL DRAIN SIZES / VARIANTS)

**HDPE / PP**

**Specifications:**

Material : HDPE / PP  
Thickness : 3 mm

LOAD CLASS: **A 15 & B125**

**HDPE / PP**  
**OUTLET**

CODE	CHANNEL			PRICE
No.	Length (mm)	Width (mm)	Height (mm)	MRP (INR)
H OL 01	500	100	50	229
H OL 01	500	100	100	249
H OL 01	500	100	150	269
H OL 01	500	125	50	299
H OL 01	500	125	100	319
H OL 01	500	125	150	339
H OL 01	500	150	150	499
H OL 01	500	150	200	599

\* Sizes are available in standard dimensions only.

**HDPE / PP**  
**END CAP**

CODE	CHANNEL			PRICE
No.	Length (mm)	Width (mm)	Height (mm)	MRP (INR)
H OL 01	500	100	50	199
H OL 01	500	100	100	219
H OL 01	500	100	150	229
H OL 01	500	125	50	259
H OL 01	500	125	100	279
H OL 01	500	125	150	299
H OL 01	500	150	150	399
H OL 01	500	150	200	499

\* Sizes are available in standard dimensions only.

# COMBINATIONS

3 AISI SS 304 GRATING

2 GI GRATING

1 HDPE / PP GRATING

B HDPE / PP BASE

# LAYING PATTERNS

I - PATTERN LAYING

L - PATTERN LAYING

T - PATTERN LAYING

+ - PATTERN LAYING

H - PATTERN LAYING

S - PATTERN LAYING

CHANNEL

JUNCTION